


Most accurate Lotus car ever, thanks to cutting edge metrology



After automated delivery of a Lotus Emira chassis from the production line to the LK CMM, it remains on the AGV and is lowered into position and aligned, ready for inspection by laser scanning within the manufacturing TAKT time.



The LK stood out as being the best multi-sensor CMM on the market. Its high-end technology including ceramic construction provides excellent stability, accuracy and speed.

Tom Mackrill, Dimensional Quality Manager, Lotus Cars

Since the first Lotus car was built in 1948, the company has been a beacon in the automotive industry for the design and manufacture of high performance cars born out of legendary success on the racetrack.

The latest sports car, the Emira, is by far the most accurate model ever built by Lotus thanks to an upgrade in quality control (QC) at the company's sports cars factory in Hethel, Norfolk, UK. It includes investment in a 5-axis HC-90TR 63.16.25 twin-arm coordinate measuring machine (CMM) manufactured in Castle Donington by LK Metrology (www.LKmetrology.com).

The automated, multi-sensor inspection cell, part of multi-million pound investments made by Lotus since 2017, delivers absolute, 100 percent, non-contact dimensional inspection at production-line speed, enabling real-time quality control.

The CMM installed in Hethel is set one metre into the floor on a special foundation. It means that a car for inspection carried on an automated guided vehicle (AGV) is able to access the area without the need for any lifting equipment. The machine has a measuring volume of nominally 6.3 x 1.6 x 2.5 m, easily large enough to contain an entire car body.

Advanced, triple-laser cross scanners are deployed on both arms to measure features automatically on both sides of the Lotus Emira simultaneously. It is notable that the LK HC-90 is the world's most accurate range of horizontal-arm CMMs, able to

measure to a volumetric accuracy of $10.0 \mu\text{m} + L/200$ and with $6 \mu\text{m}$ repeatability. The machine combines the high performance of a bridge-type CMM with the flexibility of the horizontal-arm configuration widely used in car plants.

The CMM completes automated measuring cycles so quickly that it is able to keep up with the quick TAKT time that defines the speed of the Emira production line. The fast throughput enables every car to be inspected, making this Lotus model the first whose manufacture is supported by such comprehensive QC.

In two visits of the car at different stages of its build to the LK HC-90TR, a total of 130 measurements are made in scanning routines taking about 12



A Lotus Emira being delivered by an automated guided vehicle from the production line to the LK CMM to undergo stage 1 inspection.

minutes and 8 minutes respectively. The rapid inspection cycles leave plenty of time for an AGV that has delivered a chassis to the CMM to load it and subsequently return it to the line.

Before metrology starts, there is also time to verify the car's alignment relative to the carline reference point system in the CMM, as well as to calibrate the laser scanners using dedicated calibration spheres. For speed and accuracy, they are touch-probed using sensors that are exchanged automatically by the arms from a rack. The same sensor is used for probing some critical internal dimensions of the car, while the laser scanner performs high speed scanning of the freeform surface areas.

Compared to traditional QC practices underpinning the manufacture of these largely hand-built sports cars, which are made from high tech, lightweight composite panels, the benefits of rapid point cloud acquisition and digitisation

in the LK cell are enormous. Formerly, a sample chassis would have undergone measurement line-side on a manual CMM having an arm equipped with a touch probe. Fewer features would have been checked in up to five hours on typically one in every couple of dozen chassis, which had to be taken out of production and reinserted afterwards.

There was potential for error not only through human intervention but also due to a need to reposition the car during inspection to compensate for the limited axis travels of the old CMM. More seriously, any of the unchecked cars between the samples might be out of tolerance, leading to time-consuming, expensive rework further down the line.

Tom Mackrill, Dimensional Quality Manager at the factory commented, "The Lotus Emira is our last new car to have an internal combustion engine, as we are going all-electric in future. We are aiming



Tom Mackrill, Dimensional Quality Manager, Lotus Cars.



A Renishaw PHS-2 wrist (left) allows infinite positioning of the Nikon XC65DX-LS cross scanner, ensuring that the required inspection data is acquired on the LK CMM well within the TAKT time of the Emira production line.

the product at the premium segment of the global market, so a very stable production process is required to ensure high build quality.

“Production rate of this car model in 2022 is substantially higher than last year, when we were ending production of the Elise, Exige and Evora, and is increasing strongly. So we need a QC solution that not only supports high precision but is also fast enough to generate large amounts of data quickly to match the production rate.

“We reviewed other inspection technologies including those involving various robot-mounted

measuring heads. However we concluded that robots, particularly if they are mobile, would introduce extra potential error in addition to that of the measuring devices they carry and would need a reference measuring system to calibrate and realign them.

“We therefore came to the conclusion that a static CMM was the way to go in the productionisation of our new car, with a twin-arm configuration and laser cross scanners providing the required speed of metrology.”

He added that the reliability and repeatability are driving the dimensional quality of the Emira by feeding back data to the production line to validate and control the process, ensuring each vehicle is built right first time. Such feedback is particularly important to the composite panel framing facility due to the potential for variability in the adhesive bonds.

Laser scanners have infinite positioning

The Renishaw PHS-2 two-axis CNC wrists that carry the laser scanners are able to rotate continuously and have infinite positioning, unlike conventional probe heads that only adjust in 7.5-degree steps. Each scanner can therefore be angled very precisely throughout an inspection cycle, allowing optimal positioning both inside and outside the chassis for rapid acquisition of freeform and geometrical data.

When inside the vehicle, the PHS-2 is able to rotate under program control to look outwards at the interior of the bodywork to take measurements. The DMIS programs controlling each arm are essentially mirror images of each other, with

additional movements inserted separately to address the minor differences unique to each side of the car.

The Nikon XC65DX-LS cross scanner with three laser lines captures in a single orientation and scan pass three times the amount of data that can be acquired by a single-line laser scanner. It enables short inspection cycles on the LK HC-90TR to support 100 percent QC of the Emira.

The built-in technology means that the sensor is unaffected by the colour or reflectivity of what is being measured. It also provides automatic, real-time adjustment of the settings not only between successive laser stripes, but also for individual points along each line. The LS variant of the scanner signifies that it has a longer stand-off distance, up to 170 mm, allowing it to access difficult-to-reach features.

Two-stage inspection

Programs are created largely automatically from CAD models of the Emira in LK CAMIO software. It ensures the laser scanners move along paths such that the surfaces being measured are always within their field of view. The low-noise point clouds captured are filtered to produce smooth, highly detailed meshes that can be aligned to enable comparison of the measured data with the CAD model. Inspection tools are included for intelligent feature extraction, GD&T tolerancing and profile analysis, backed by rapid feedback of results to the production line and comprehensive reporting.

Lotus Cars elected to implement this two-stage, offline, in-process metrology solution as it is most expedient for the company's needs. However, in other scenarios one HC-90TR or more could be positioned within the production flow line itself, checking dimensions before the vehicle passes to the next

build operation. Other offline applications include quality audits and verification checks.

Turnkey automated solution

The metrology cell was installed and commissioned by LK in the Hethel plant in January 2021, ahead of the start of Emira production. The automated equipment has been instrumental in raising production efficiency and lowering the labour cost content of the cars by ensuring that dimensional inspection controls the manufacturing process, rather than merely qualifying the compliance of the measured data. It is driving production strategy for the continuous improvement of individual parts and the whole process with the goal of zero-defect manufacture, this being the whole purpose of Industry 4.0 with which the LK hardware and software are compatible.

Mr Mackrill concluded, "Lotus had not dealt with LK before but I had previous experience of the CMM brand during employment in another car plant. Once we had decided that the gold standard of static coordinate measurement was the correct metrology route for us to take, we reviewed a number of offerings from different potential suppliers.

"LK stood out as being the best in terms of high-end technology. The ceramic construction of the machine provides excellent stability combined



Studio photograph of the Lotus Emira.

with light weight for accuracy and speed. LK supplied a fully configured, multi-sensor, turnkey solution complete with first-draft measuring programs and ancillaries. Only the fixtures supporting the car body were provided by us.

“The supplier has been and continues to be very supportive, to the extent that we regard the relationship between our respective engineering teams as a genuine partnership.”

To underline the faith that Lotus Cars has in LK, the vehicle manufacturer has also invested recently in four further CMMs, all smaller bridge-type machines, for its nearby LAS (Lotus Advanced Structures) division. Used for QC of chassis components, there are three LK ALTERA M machines with measuring envelopes of nominally 3 x 2 x 1.5 m, 2 x 1.5 x 1.2 m, and 1.5 x 1.0 x 0.8 m respectively and a larger, higher accuracy ULTIMA CMM with a 4 x 2 x 2 m inspection volume.

About LK Metrology

LK Metrology is renowned for innovative metrology solutions and services. The company's products, including coordinate measuring machines (CMM), portable measuring arms and metrology software, are used worldwide to control and improve the quality of manufactured components. Its precision technology underpins the process chain from design, development, production and assembly through to quality assurance in global industries such as automotive, aerospace, defence, motorsport, energy, medical and contract inspection.

Established in England in 1963, LK Metrology has an impressive heritage in metrology dating back to the birth of CMM technology. Founded by CMM pioneer Norman Key and his father-in-law Jim Lowther, LK Metrology is credited with many of the CMM industry's firsts including the first bridge-type design, first OEM to integrate computers, first to use a touch trigger probe, first to develop inspection software, first to use all air bearings and granite guideways, first to use carbon fibre composite spindles, first to use microprocessor-controlled drive systems, first to produce a truly thermally stable CMM and first to produce a high-accuracy horizontal-spindle CMM.

In 2018, LK Metrology was relaunched as an independent CMM manufacturer after several years as a division of Nikon Metrology. Headquartered in the UK, LK's CMM development and production are at the company's facility in Castle Donington. Sales and support offices are located in the UK, North America, Belgium, France, Germany, Italy and China, supplemented by a worldwide distributor network.